


**IN THE CLAIMS:**

Please replace the claims with the following set of claims:

Claims 1-4. (previously cancelled)

Claims 5-16. (cancelled)


17. (new) An organic based device which is an organic Field Effect Transistor (OFET) or an Organic Photovoltaic Cell (OPC), the device comprising as a first active material a conjugated oligomeric 2,7-carbazolenevinylene derivative described by the formula I:



wherein X is a comonomer selected from the group consisting of ethylene, acetylene, a C<sub>6</sub>-C<sub>22</sub> mononuclear/polynuclear aromatic group, a C<sub>2</sub>-C<sub>10</sub> mononuclear/polynuclear heterocyclic group, and a tertiary arylamine, wherein A is selected from hydrogen, a linear or branched alkyl group containing 1 to 20 carbon atoms, a linear or branched alkoxy group containing 1 to 20 carbon atoms, a cyano group, a halogen group, a monovalent aromatic group, and a monovalent aromatic complex ring group having one nitrogen atom as a hetero-atom, wherein B is selected from hydrogen, a linear or branched alkyl group containing 1 to 20 carbon atoms, a linear or branched alkoxy group containing 1 to 20 carbon atoms, a cyano group, a halogen group, a monovalent aromatic group, and a monovalent aromatic complex ring group having one nitrogen atom as a hetero-atom, wherein R is selected from hydrogen, a linear or branched alkyl group containing 1 to 20

carbon atoms, a linear or branched alkoxy group containing 1 to 20 carbon atoms, a poly (ethyleneoxy) group, a cyano group, an aryl group, an amide group, and a benzoyl group, and where n is an integer equal to 1 or 2.

18. (new) The organic based device of claim 17 being an OFET, and wherein the first active material is 1,4-bis(vinylene-(N-methyl-7-hexyl-2-carbazole))phenylene (RCPCR).
19. (new) The organic based device of claim 17 being an OFET, and wherein the first active material is 1,4-bis(vinylene-(N-hexyl-2-carbazole))phenylene (CPC).
20. (new) The organic based device of claim 17 being an OPC and further comprising a second active material, wherein said first active material is mixed with the second active material.
21. (new) The organic based device of claim 20, wherein said second active material is [N,N'-Bis(2,6-dimethylphenyl)-3,4,9,10-perylenetetracarboxylic diimide] (PTD).
22. (new) The organic based device of claim 20, wherein said second active material is [6,6-phenyl-C61 butyric acid methyl ester] (PCBM).
23. (new) The organic based device of claim 17 being an OPC comprising a hole transport layer and an electron transport layer, and wherein at least one of said hole transport layer and said electron transport layer comprises either alone or in combination as active material the compound of Formula I.
24. (new) The organic based device of claim 17 being an OFET.
25. (new) The organic based device of claim 17 being an OPC.
26. (new) An organic based device which is an organic Field Effect Transistor (OFET) or an Organic Photovoltaic Cell (OPC), the device comprising as a first active material a polymer which is the reaction product of a first compound defined by Formula II:



and optionally of a second comonomer which is one of ethylene, acetylene, a  $C_6$ - $C_{22}$  mononuclear/polynuclear aromatic group, a  $C_2$ - $C_{10}$  mononuclear/polynuclear heterocyclic group, and a tertiary arylamine, wherein A is selected from hydrogen, a linear or branched alkyl group containing 1 to 20 carbon atoms, a linear or branched alkoxy group containing 1 to 20 carbon atoms, a cyano group, a halogen group, a monovalent aromatic group, and a monovalent aromatic complex ring group having one nitrogen atom as a hetero-atom, wherein B is selected from hydrogen, a linear or branched alkyl group containing 1 to 20 carbon atoms, a linear or branched alkoxy group containing 1 to 20 carbon atoms, a cyano group, a halogen group, a monovalent aromatic group, and a monovalent aromatic complex ring group having one nitrogen atom as a hetero-atom, and wherein R is selected from hydrogen, a linear or branched alkyl group containing 1 to 20 carbon atoms, a linear or branched alkoxy group containing 1 to 20 carbon atoms, a poly (ethyleneoxy) group, a cyano group, an aryl group, an amide group, and a benzoyl group.

27. (new) The organic based device of claim 26 being an OPC, and wherein the first active material is [Poly (N-(2-ethylhexyl-2,7-carbazolenevinylene-co-2,5-bis(diphenylamine)-1,4-phenylenevinylene-co-((4-(2-ethylhexyloxy)-phenyl)-bis-(4'-phenylene)amine)] (PCVDPATA).

28. (new) The organic based device of claim 26 being an OPC, and wherein the first active material is [Poly (N-(4-hexyloxyphenyl)-2,7-carbazolenevinylene-alt-(3-hexyl-2,5-thiophenevinylene))] (PPCVT).
29. (new) The organic based device of claim 26 being an OPC and further comprising a second active material, wherein said first active material is mixed with the second active material.
30. (new) The organic based device of claim 29, wherein said second active material is [N,N'-Bis(2,6-dimethylphenyl)-3,4,9,10-perylenetetracarboxylic diimide] (PTD).
31. (new) The organic based device of claim 29, wherein said second active material is [6,6-phenyl-C61 butyric acid methyl ester] (PCBM).
32. (new) The organic based device of claim 26 being an OPC comprising a hole transport layer and an electron transport layer, and wherein at least one of said hole transport layer and said electron transport layer comprises either alone or in combination as active material the compound of Formula II.
33. (new) The organic based device of claim 26 being an OFET and there being no second comonomer.
34. (new) The organic based device of claim 26 being an OPC and there being no second comonomer.